




SITE CONTEXT MAP



TREE MITIGATION CALCULATIONS (ORIGINAL)



38" LIVE OAK
APPROVED TO BE REMOVED WITH
STANDARD MITIGATION DURING
02/14/2019 LVL COMMITTEE MEETING,
UNDER THE CONDITION THAT LIVE OAKS
ARE PLACED BACK ON SITE.



32" LAUREL OAK
APPROVED TO BE REMOVED WITH
STANDARD MITIGATION DURING
09/14/2017 LVL COMMITTEE MEETING,
UNDER THE CONDITION THAT IF OTHER
TREES NEED TO BE REMOVED, THE
PROJECT COME BACK TO LVL FOR
APPROVAL.

HERITAGE TREES TO REMOVE:
38" LIVE OAK (11 REPLACEMENT TREES)
32" LAUREL OAK (4 REPLACEMENT TREES)

ADDITIONAL REPLACEMENT TREES PROPOSED:
(12) REPLACEMENT TREES

REQUIRED TOTAL MITIGATION:
\$750 OR 3 REPLACEMENT TREES

Image Redacted



SUGGESTED SPECIES



Live Oak
Quercus virginiana



Crape Myrtle
Lagerstroemia indica 'Muskogee'



Encore Azalea
Rhododendron spp.



Agapanthus
Agapanthus africanus



Muhly Grass
Muhlenbergia capillaris



Mrs. Schiller's Delight
Viburnum
Viburnum obovatum 'Mrs. Schiller's Delight'



Indian Hawthorn
Raphiolepis indica 'Eleanor Taber'



Liriope
Liriope muscari



Podocarpus
Podocarpus macrophyllus